This XML file does not appear to have any style information associated with it. The document tree is shown below.


```xml
<?mso-application progid="Word.Document"?>
<pkg:package xmlns:pkg="http://schemas.microsoft.com/office/2006/xmlPackage">
  <pkg:part pkg:name="/_rels/.rels" pkg:contentType="application/vnd.openxmlformats-
  package.relationships+xml" pkg:padding="512">
    <pkg:xmlData>
      <Relationships xmlns="http://schemas.openxmlformats.org/package/2006/relationships">
        <Relationship Id="rId3"
        Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/extended-
        properties" Target="docProps/app.xml"/>
        <Relationship Id="rId2"
        Type="http://schemas.openxmlformats.org/package/2006/relationships/metadata/core-
        properties" Target="docProps/core.xml"/>
        <Relationship Id="rId1"
        Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument"
        Target="word/document.xml"/>
      </Relationships>
    </pkg:xmlData>
  </pkg:part>
  <pkg:part pkg:name="/word/_rels/document.xml.rels"
  pkg:contentType="application/vnd.openxmlformats-package.relationships+xml" pkg:padding="256">
    <pkg:xmlData>
      <Relationships xmlns="http://schemas.openxmlformats.org/package/2006/relationships">
        <Relationship Id="rId3"
        Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/webSettings"
        Target="webSettings.xml"/>
        <Relationship Id="rId2"
        Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/settings"
        Target="settings.xml"/>
        <Relationship Id="rId1"
        Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/styles"
        Target="styles.xml"/>
        <Relationship Id="rId5"
        Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/theme"
        Target="theme/theme1.xml"/>
        <Relationship Id="rId4"
        Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/fontTable"
        Target="fontTable.xml"/>
      </Relationships>
    </pkg:xmlData>
  </pkg:part>
  <pkg:part pkg:name="/word/document.xml" pkg:contentType="application/vnd.openxmlformats-
  officedocument.wordprocessingml.document.main+xml">
    <pkg:xmlData>
      <w:document xmlns:ve="http://schemas.openxmlformats.org/markup-compatibility/2006"
      xmlns:o="urn:schemas-microsoft-com:office:office"
      xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
      xmlns:m="http://schemas.openxmlformats.org/officeDocument/2006/math" xmlns:v="urn:schemas-
      microsoft-com:vml"
      xmlns:wp="http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDrawing"
      xmlns:w10="urn:schemas-microsoft-com:office:word"
      xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/main"
      xmlns:wne="http://schemas.microsoft.com/office/word/2006/wordml">
        <w:body>
          <w:p w:rsidR="00086467" w:rsidRDefault="00321C40">
            <w:pPr>
              <w:rPr>
                <w:b/>
                <w:sz w:val="28"/>
                <w:szCs w:val="28"/>
              </w:rPr>
            </w:pPr>
            <w:r>
              <w:rPr>
                <w:b/>
                <w:sz w:val="28"/>
```

```
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t xml:space="preserve"> </w:t>
    </w:r>
  </w:p>
  <w:p w:rsidR="00086467" w:rsidRDefault="00086467">
    <w:pPr>
      <w:rPr>
        <w:b/>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
    </w:pPr>
  </w:p>
  <w:p w:rsidR="00086467" w:rsidRDefault="00086467">
    <w:pPr>
      <w:rPr>
        <w:b/>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
    </w:pPr>
  </w:p>
  <w:p w:rsidR="00321C40" w:rsidRDefault="00D6376B" w:rsidP="002E1648">
    <w:pPr>
      <w:jc w:val="center"/>
      <w:rPr>
        <w:b/>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
    </w:pPr>
    <w:r>
      <w:b/ ООО «Турмалин</w:t>
    </w:r>
    <w:r:r w:rsidR="00321C40">
      <w:b/»</w:t>
    </w:r>
  </w:p>
  <w:p w:rsidR="002E1648" w:rsidRDefault="002E1648" w:rsidP="002E1648">
    <w:pPr>
      <w:jc w:val="center"/>
      <w:rPr>
      <w:sz w:val="28"/>
      <w:szCs w:val="28"/>
      <w:r>1</w:r>
    <w:r w:rsidR="00D6376B">
      <w:sz w:val="28"/>
      <w:szCs w:val="28"/>
      <w:rPr>
</
```

```
      <w:t xml:space="preserve">97136 Санкт-Петербург Чкаловский </w:t>
    </w:r>
    <w:proofErr w:type="spellStart"/>
    <w:r w:rsidR="00D6376B">
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t>пр-кт</w:t>
    </w:r>
    <w:proofErr w:type="spellEnd"/>
    <w:r w:rsidR="00D6376B">
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t xml:space="preserve"> д. 38 кв. 19</w:t>
    </w:r>
  </w:p>
  <w:p w:rsidR="00462340" w:rsidRDefault="00462340" w:rsidRP="002E1648">
    <w:pPr>
      <w:jc w:val="center"/>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
</w:pPr>
    <w:r>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
</w:rPr>
    <w:r>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
</w:rPr>
      <w:t>ИНН 7813327823 КПП 781301001 ОГРН 1057811982326</w:t>
    </w:r>
  </w:p>
  <w:p w:rsidR="00462340" w:rsidRDR="00462340" w:rsidRD="00462340"
  w:rsidP="002E1648">
    <w:pPr>
      <w:jc w:val="center"/>
      <w:rPr>
        <w:sz w:20"/>
        <w:szCs w:20"/>
</w:pPr>
  </w:p>
  <w:p w:rsidR="00321C40" w:rsidRDR="00462340" w:rsidRD="00462340"
  w:rsidP="00462340">
    <w:pPr>
      <w:jc w:val="center"/>
      <w:rPr>
        <w:sz w:20"/>
        <w:szCs w:20"/>
</w:pPr>
    <w:r>
      <w:rPr>
        <w:sz w:20"/>
        <w:szCs w:20"/>
</w:rPr>
      <w:t>телефон +7 (921) 938-90-23 </w:t>
    </w:r>
  </w:p>
  <w:p w:rsidR="0049683A" w:rsidRD="004E28A4">
    <w:pPr>
      <w:rPr>
        <w:sz w:28"/>
        <w:szCs w:28"/>
</w:pPr>
```

```
      <w:r>
        <w:rPr>
          <w:noProof/>
          <w:sz w:val="28"/>
          <w:szCs w:val="28"/>
        </w:rPr>
        <w:pict>
          <v:line id="_x0000_s1028" style="position:absolute;z-index:251657216"
          from="4.4pt,0" to="468pt,2.4pt"/>
        </w:pict>
      </w:r>
    </w:p>
    <w:p w:rsidR="0049683A" w:rsidRDefault="0049683A">
      <w:pPr>
        <w:rPr>
          <w:sz w:val="28"/>
          <w:szCs w:val="28"/>
        </w:rPr>
      </w:pPr>
    </w:p>
    <w:p w:rsidR="0065441A" w:rsidRDefault="00605BB2" w:rsidP="00C83BEE">
      <w:pPr>
        <w:rPr>
          <w:sz w:val="28"/>
          <w:szCs w:val="28"/>
        </w:rPr>
      </w:pPr>
      <w:r>
        <w:rPr>
          <w:sz w:val="28"/>
          <w:szCs w:val="28"/>

исх. № 1

```
      <w:r w:rsidR="00C83BEE">
        <w:rPr>
          <w:sz w:val="28"/>
          <w:szCs w:val="28"/>
        </w:rPr>
        <w:t xml:space="preserve"> </w:t>
      </w:r>
      <w:r>
        <w:rPr>
          <w:sz w:val="28"/>
          <w:szCs w:val="28"/>

16 марта 2026

```
      <w:r w:rsidR="00C83BEE">
        <w:rPr>
          <w:sz w:val="28"/>
          <w:szCs w:val="28"/>

года

```
      <w:r>
    </w:p>
    <w:p w:rsidR="00C83BEE" w:rsidRDefault="00C83BEE" w:rsidP="00C83BEE">
      <w:pPr>
        <w:rPr>
          <w:sz w:val="28"/>
          <w:szCs w:val="28"/>
        </w:rPr>
      </w:pPr>
    </w:p>
    <w:p w:rsidR="00C83BEE" w:rsidRDefault="00C83BEE" w:rsidP="00C83BEE">
      <w:pPr>
        <w:rPr>
          <w:sz w:val="28"/>
          <w:szCs w:val="28"/>

```
```

```
      </w:rPr>
    </w:pPr>
  </w:p>
  <w:p w:rsidR="00C83BEE" w:rsidRDefault="00C83BEE" w:rsidP="00C83BEE">
    <w:pPr>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
    </w:pPr>
    <w:r>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t xml:space="preserve"> </w:t>
    </w:r>
    <w:r w:rsidR="00605BB2">
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t xml:space="preserve"> Пояснительная записка.</w:t>
    </w:r>
  </w:p>
  <w:p w:rsidR="00605BB2" w:rsidRDefault="00605BB2" w:rsidP="00C83BEE">
    <w:pPr>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
```

```
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
    </w:pPr>
    <w:r>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t xml:space="preserve"> </w:t>
    </w:r>
  </w:p>
  <w:p w:rsidR="0065441A" w:rsidRDefault="0065441A" w:rsidP="0065441A">
    <w:pPr>
      <w:spacing w:after="200" w:line="276" w:lineRule="auto"/>
      <w:contextualSpacing/>
      <w:rPr>
        <w:rFonts w:ascii="Arial" w:hAnsi="Arial" w:cs="Arial"/>
        <w:sz w:val="22"/>
        <w:szCs w:val="22"/>
      </w:rPr>
    </w:pPr>
    <w:r>
      <w:rPr>
        <w:rFonts w:ascii="Arial" w:hAnsi="Arial" w:cs="Arial"/>
        <w:sz w:val="22"/>
        <w:szCs w:val="22"/>
      </w:rPr>
      <w:t xml:space="preserve"> </w:t>
    </w:r>
    <w:r w:rsidR="006C65A7">
      <w:rPr>
        <w:rFonts w:ascii="Arial" w:hAnsi="Arial" w:cs="Arial"/>
        <w:sz w:val="22"/>
        <w:szCs w:val="22"/>
      </w:rPr>
      <w:t xml:space="preserve"> </w:t>
    </w:r>
    <w:r w:rsidR="006C65A7">
      <w:rPr>
        <w:rFonts w:ascii="Arial" w:hAnsi="Arial" w:cs="Arial"/>
        <w:sz w:val="22"/>
        <w:szCs w:val="22"/>
      <w:tab />
    </w:r>
  </w:p>
  <w:p w:rsidR="006C65A7" w:rsidRDefault="006C65A7" w:rsidP="0065441A">
    <w:pPr>
      <w:spacing w:after="200" w:line="276" w:lineRule="auto"/>
      <w:contextualSpacing/>
      <w:rPr>
        <w:rFonts w:ascii="Arial" w:hAnsi="Arial" w:cs="Arial"/>
        <w:sz w:val="22"/>
        <w:szCs w:val="22"/>
      </w:rPr>
    </w:pPr>
  </w:p>
  <w:p w:rsidR="006C65A7" w:rsidRDefault="006C65A7" w:rsidP="006C65A7"
  w:rsidP="006C65A7">
    <w:pPr>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
```

```
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t xml:space="preserve">Директор ООО «Турмалин» </w:t>
    </w:r>
    <w:r>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t xml:space="preserve"> </w:t>
    </w:r>
    <w:r w:rsidRPr="006C65A7">
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t xml:space="preserve"> Потапов И.Л.</w:t>
    </w:r>
  </w:p>
  <w:p w:rsidR="006C65A7" w:rsidRPr="006C65A7" w:rsidRDefault="006C65A7"
  w:rsidP="006C65A7">
    <w:pPr>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
    </w:pPr>
  </w:p>
  <w:p w:rsidR="006C65A7" w:rsidRPr="006C65A7" w:rsidRDefault="006C65A7"
  w:rsidP="006C65A7">
    <w:pPr>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
    </w:pPr>
    <w:r w:rsidRPr="006C65A7">
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t>Главный бухгалтер </w:t>
    </w:r>
    <w:r>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
      <w:t> </w:t>
    <w:r w:rsidRPr="006C65A7">
      <w:rPr>
      <w:sz w:val="28"/>
      <w:szCs w:val="28"/>
      <w:t> Потапов И.Л.</w:t>
    </w:r>
  </w:p>
  <w:p w:rsidR="006C65A7" w:rsidRPr="006C65A7" w:rsidRDefault="006C65A7"
  w:rsidP="006C65A7">
    <w:pPr>
      <w:rPr>
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
    </w:pPr>
    <w:r>
      <w:rPr>
      <w:sz w:val="28"/>
      <w:szCs w:val="28"/>
      <w:t>
```

```
        <w:sz w:val="28"/>
        <w:szCs w:val="28"/>
      </w:rPr>
    </w:pPr>
  </w:p>
  <w:p w:rsidR="0065441A" w:rsidRDefault="0065441A" w:rsidP="0065441A">
    <w:pPr>
      <w:spacing w:after="200" w:line="276" w:lineRule="auto"/>
      <w:contextualSpacing/>
      <w:rPr>
        <w:rFonts w:ascii="Arial" w:hAnsi="Arial" w:cs="Arial"/>
        <w:sz w:val="22"/>
        <w:szCs w:val="22"/>
      </w:rPr>
    </w:pPr>
  </w:p>
  <w:p w:rsidR="0065441A" w:rsidRPr="00CE0194" w:rsidRDefault="004E28A4"
  w:rsidP="0065441A">
    <w:pPr>
      <w:ind w:left="7371"/>
      <w:rPr>
        <w:rFonts w:ascii="Arial" w:hAnsi="Arial" w:cs="Arial"/>
        <w:sz w:val="12"/>
        <w:szCs w:val="12"/>
      </w:rPr>
    </w:pPr>
    <w:r>
      <w:rPr>
        <w:rFonts w:ascii="Arial" w:hAnsi="Arial" w:cs="Arial"/>
        <w:noProof/>
        <w:sz w:val="12"/>
        <w:szCs w:val="12"/>
      </w:rPr>
      <w:pict>
        <v:shapetype id="_x0000_t202" coordsize="21600,21600" o:spt="202"
        path="m,l,21600r21600,l21600,xe">
          <v:stroke joinstyle="miter"/>
          <v:path gradientshapeok="t" o:connecttype="rect"/>
        </v:shapetype>
        <v:shape id="_x0000_s1029" type="#_x0000_t202"
        style="position:absolute;left:0;text-align:left;margin-left:255pt;margin-
        top:770.25pt;width:279pt;height:63pt;z-index:251658240;mso-position-horizontal-
        relative:page;mso-position-vertical-relative:page" o:allowoverlap="f" stroked="f">
          <v:textbox style="mso-next-textbox:#_x0000_s1029">
            <w:txbxContent>
              <w:p w:rsidR="0065441A" w:rsidRPr="00BA1B39" w:rsidRDefault="0065441A"
              w:rsidP="0065441A"/>
            </w:txbxContent>
          </v:textbox>
          <w10:wrap anchorx="page" anchory="page"/>
          <w10:anchorlock/>
        </v:shape>
      </w:pict>
    </w:r>
    <w:r w:rsidR="0065441A">
      <w:rPr>
        <w:rFonts w:ascii="Arial" w:hAnsi="Arial" w:cs="Arial"/>
        <w:sz w:val="12"/>
        <w:szCs w:val="12"/>
      </w:rPr>
    </w:r>
    <w:t>МП</w:t>
  </w:r>
</w:p>
<w:p w:rsidR="0065441A" w:rsidRDefault="0065441A" w:rsidP="0065441A"/>
<w:p w:rsidR="0049683A" w:rsidRPr="00321C40" w:rsidRDefault="0049683A"
w:rsidP="0065441A">
  <w:pPr>
    <w:rPr>
      <w:rFonts w:ascii="Arial" w:hAnsi="Arial" w:cs="Arial"/>
      <w:sz w:val="28"/>
```

```
                <w:szCs w:val="28"/>
              </w:rPr>
            </w:pPr>
            <w:r>
              <w:rPr>
                <w:sz w:val="28"/>
                <w:szCs w:val="28"/>
              </w:rPr>
              <w:t xml:space="preserve"> </w:t>
            </w:r>
          </w:p>
          <w:sectPr w:rsidR="0049683A" w:rsidRPr="00321C40" w:rsidSect="004E28A4">
            <w:pgSz w:w="11906" w:h="16838"/>
            <w:pgMar w:top="1134" w:right="850" w:bottom="1134" w:left="1701" w:header="708"
            w:footer="708" w:gutter="0"/>
            <w:cols w:space="708"/>
            <w:docGrid w:linePitch="360"/>
          </w:sectPr>
        </w:body>
      </w:document>
    </pkg:xmlData>
  </pkg:part>
  <pkg:part pkg:name="/word/theme/theme1.xml" pkg:contentType="application/vnd.openxmlformats-
  officedocument.theme+xml">
    <pkg:xmlData>
      <a:theme xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main" name="Тема Office">
        <a:themeElements>
          <a:clrScheme name="Стандартная">
            <a:dk1>
              <a:sysClr val="windowText" lastClr="000000"/>
            </a:dk1>
            <a:lt1>
              <a:sysClr val="window" lastClr="FFFFFF"/>
            </a:lt1>
            <a:dk2>
              <a:srgbClr val="1F497D"/>
            </a:dk2>
            <a:lt2>
              <a:srgbClr val="EEECE1"/>
            </a:lt2>
            <a:accent1>
              <a:srgbClr val="4F81BD"/>
            </a:accent1>
            <a:accent2>
              <a:srgbClr val="C0504D"/>
            </a:accent2>
            <a:accent3>
              <a:srgbClr val="9BBB59"/>
            </a:accent3>
            <a:accent4>
              <a:srgbClr val="8064A2"/>
            </a:accent4>
            <a:accent5>
              <a:srgbClr val="4BACC6"/>
            </a:accent5>
            <a:accent6>
              <a:srgbClr val="F79646"/>
            </a:accent6>
            <a:hlink>
              <a:srgbClr val="0000FF"/>
            </a:hlink>
            <a:folHlink>
              <a:srgbClr val="800080"/>
            </a:folHlink>
          </a:clrScheme>
          <a:fontScheme name="Стандартная">
            <a:majorFont>
              <a:latin typeface="Cambria"/>
              <a:ea typeface=""/>
```

```
      <a:cs typeface=""/>
      <a:font script="Jpan" typeface="ＭＳ ゴシック"/>
      <a:font script="Hang" typeface="맑은 고딕"/>
      <a:font script="Hans" typeface="宋体"/>
      <a:font script="Hant" typeface="新細明體"/>
      <a:font script="Arab" typeface="Times New Roman"/>
      <a:font script="Hebr" typeface="Times New Roman"/>
      <a:font script="Thai" typeface="Angsana New"/>
      <a:font script="Ethi" typeface="Nyala"/>
      <a:font script="Beng" typeface="Vrinda"/>
      <a:font script="Gujr" typeface="Shruti"/>
      <a:font script="Khmr" typeface="MoolBoran"/>
      <a:font script="Knda" typeface="Tunga"/>
      <a:font script="Guru" typeface="Raavi"/>
      <a:font script="Cans" typeface="Euphemia"/>
      <a:font script="Cher" typeface="Plantagenet Cherokee"/>
      <a:font script="Yiii" typeface="Microsoft Yi Baiti"/>
      <a:font script="Tibt" typeface="Microsoft Himalaya"/>
      <a:font script="Thaa" typeface="MV Boli"/>
      <a:font script="Deva" typeface="Mangal"/>
      <a:font script="Telu" typeface="Gautami"/>
      <a:font script="Taml" typeface="Latha"/>
      <a:font script="Syrc" typeface="Estrangelo Edessa"/>
      <a:font script="Orya" typeface="Kalinga"/>
      <a:font script="Mlym" typeface="Kartika"/>
      <a:font script="Laoo" typeface="DokChampa"/>
      <a:font script="Sinh" typeface="Iskoola Pota"/>
      <a:font script="Mong" typeface="Mongolian Baiti"/>
      <a:font script="Viet" typeface="Times New Roman"/>
      <a:font script="Uigh" typeface="Microsoft Uighur"/>
    </a:majorFont>
    <a:minorFont>
      <a:latin typeface="Calibri"/>
      <a:ea typeface=""/>
      <a:cs typeface=""/>
      <a:font script="Jpan" typeface="ＭＳ 明朝"/>
      <a:font script="Hang" typeface="맑은 고딕"/>
      <a:font script="Hans" typeface="宋体"/>
      <a:font script="Hant" typeface="新細明體"/>
      <a:font script="Arab" typeface="Arial"/>
      <a:font script="Hebr" typeface="Arial"/>
      <a:font script="Thai" typeface="Cordia New"/>
      <a:font script="Ethi" typeface="Nyala"/>
      <a:font script="Beng" typeface="Vrinda"/>
      <a:font script="Gujr" typeface="Shruti"/>
      <a:font script="Khmr" typeface="DaunPenh"/>
      <a:font script="Knda" typeface="Tunga"/>
      <a:font script="Guru" typeface="Raavi"/>
      <a:font script="Cans" typeface="Euphemia"/>
      <a:font script="Cher" typeface="Plantagenet Cherokee"/>
      <a:font script="Yiii" typeface="Microsoft Yi Baiti"/>
      <a:font script="Tibt" typeface="Microsoft Himalaya"/>
      <a:font script="Thaa" typeface="MV Boli"/>
      <a:font script="Deva" typeface="Mangal"/>
      <a:font script="Telu" typeface="Gautami"/>
      <a:font script="Taml" typeface="Latha"/>
      <a:font script="Syrc" typeface="Estrangelo Edessa"/>
      <a:font script="Orya" typeface="Kalinga"/>
      <a:font script="Mlym" typeface="Kartika"/>
      <a:font script="Laoo" typeface="DokChampa"/>
      <a:font script="Sinh" typeface="Iskoola Pota"/>
      <a:font script="Mong" typeface="Mongolian Baiti"/>
      <a:font script="Viet" typeface="Arial"/>
      <a:font script="Uigh" typeface="Microsoft Uighur"/>
    </a:minorFont>
  </a:fontScheme>
  <a:fmtScheme name="Стандартная">
    <a:fillStyleLst>
```

```xml
<a:solidFill>
  <a:schemeClr val="phClr"/>
</a:solidFill>
<a:gradFill rotWithShape="1">
  <a:gsLst>
    <a:gs pos="0">
      <a:schemeClr val="phClr">
        <a:tint val="50000"/>
        <a:satMod val="300000"/>
      </a:schemeClr>
    </a:gs>
    <a:gs pos="35000">
      <a:schemeClr val="phClr">
        <a:tint val="37000"/>
        <a:satMod val="300000"/>
      </a:schemeClr>
    </a:gs>
    <a:gs pos="100000">
      <a:schemeClr val="phClr">
        <a:tint val="15000"/>
        <a:satMod val="350000"/>
      </a:schemeClr>
    </a:gs>
  </a:gsLst>
  <a:lin ang="16200000" scaled="1"/>
</a:gradFill>
<a:gradFill rotWithShape="1">
  <a:gsLst>
    <a:gs pos="0">
      <a:schemeClr val="phClr">
        <a:shade val="51000"/>
        <a:satMod val="130000"/>
      </a:schemeClr>
    </a:gs>
    <a:gs pos="80000">
      <a:schemeClr val="phClr">
        <a:shade val="93000"/>
        <a:satMod val="130000"/>
      </a:schemeClr>
    </a:gs>
    <a:gs pos="100000">
      <a:schemeClr val="phClr">
        <a:shade val="94000"/>
        <a:satMod val="135000"/>
      </a:schemeClr>
    </a:gs>
  </a:gsLst>
  <a:lin ang="16200000" scaled="0"/>
</a:gradFill>
</a:fillStyleLst>
<a:lnStyleLst>
<a:ln w="9525" cap="flat" cmpd="sng" algn="ctr">
  <a:solidFill>
    <a:schemeClr val="phClr">
      <a:shade val="95000"/>
      <a:satMod val="105000"/>
    </a:schemeClr>
  </a:solidFill>
  <a:prstDash val="solid"/>
</a:ln>
<a:ln w="25400" cap="flat" cmpd="sng" algn="ctr">
  <a:solidFill>
    <a:schemeClr val="phClr"/>
  </a:solidFill>
  <a:prstDash val="solid"/>
</a:ln>
<a:ln w="38100" cap="flat" cmpd="sng" algn="ctr">
  <a:solidFill>
    <a:schemeClr val="phClr"/>
```

```
      </a:solidFill>
      <a:prstDash val="solid"/>
    </a:ln>
  </a:lnStyleLst>
  <a:effectStyleLst>
    <a:effectStyle>
      <a:effectLst>
        <a:outerShdw blurRad="40000" dist="20000" dir="5400000" rotWithShape="0">
          <a:srgbClr val="000000">
            <a:alpha val="38000"/>
          </a:srgbClr>
        </a:outerShdw>
      </a:effectLst>
    </a:effectStyle>
    <a:effectStyle>
      <a:effectLst>
        <a:outerShdw blurRad="40000" dist="23000" dir="5400000" rotWithShape="0">
          <a:srgbClr val="000000">
            <a:alpha val="35000"/>
          </a:srgbClr>
        </a:outerShdw>
      </a:effectLst>
    </a:effectStyle>
    <a:effectStyle>
      <a:effectLst>
        <a:outerShdw blurRad="40000" dist="23000" dir="5400000" rotWithShape="0">
          <a:srgbClr val="000000">
            <a:alpha val="35000"/>
          </a:srgbClr>
        </a:outerShdw>
      </a:effectLst>
      <a:scene3d>
        <a:camera prst="orthographicFront">
          <a:rot lat="0" lon="0" rev="0"/>
        </a:camera>
        <a:lightRig rig="threePt" dir="t">
          <a:rot lat="0" lon="0" rev="1200000"/>
        </a:lightRig>
      </a:scene3d>
      <a:sp3d>
        <a:bevelT w="63500" h="25400"/>
      </a:sp3d>
    </a:effectStyle>
  </a:effectStyleLst>
  <a:bgFillStyleLst>
    <a:solidFill>
      <a:schemeClr val="phClr"/>
    </a:solidFill>
    <a:gradFill rotWithShape="1">
      <a:gsLst>
        <a:gs pos="0">
          <a:schemeClr val="phClr">
            <a:tint val="40000"/>
            <a:satMod val="350000"/>
          </a:schemeClr>
        </a:gs>
        <a:gs pos="40000">
          <a:schemeClr val="phClr">
            <a:tint val="45000"/>
            <a:shade val="99000"/>
            <a:satMod val="350000"/>
          </a:schemeClr>
        </a:gs>
        <a:gs pos="100000">
          <a:schemeClr val="phClr">
            <a:shade val="20000"/>
            <a:satMod val="255000"/>
          </a:schemeClr>
        </a:gs>
```

```
                </a:gsLst>
                <a:path path="circle">
                  <a:fillToRect l="50000" t="-80000" r="50000" b="180000"/>
                </a:path>
              </a:gradFill>
              <a:gradFill rotWithShape="1">
                <a:gsLst>
                  <a:gs pos="0">
                    <a:schemeClr val="phClr">
                      <a:tint val="80000"/>
                      <a:satMod val="300000"/>
                    </a:schemeClr>
                  </a:gs>
                  <a:gs pos="100000">
                    <a:schemeClr val="phClr">
                      <a:shade val="30000"/>
                      <a:satMod val="200000"/>
                    </a:schemeClr>
                  </a:gs>
                </a:gsLst>
                <a:path path="circle">
                  <a:fillToRect l="50000" t="50000" r="50000" b="50000"/>
                </a:path>
              </a:gradFill>
            </a:bgFillStyleLst>
          </a:fmtScheme>
        </a:themeElements>
        <a:objectDefaults/>
        <a:extraClrSchemeLst/>
      </a:theme>
    </pkg:xmlData>
  </pkg:part>
  <pkg:part pkg:name="/word/settings.xml" pkg:contentType="application/vnd.openxmlformats-
  officedocument.wordprocessingml.settings+xml">
    <pkg:xmlData>
      <w:settings xmlns:o="urn:schemas-microsoft-com:office:office"
      xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
      xmlns:m="http://schemas.openxmlformats.org/officeDocument/2006/math" xmlns:v="urn:schemas-
      microsoft-com:vml" xmlns:w10="urn:schemas-microsoft-com:office:word"
      xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/main"
      xmlns:sl="http://schemas.openxmlformats.org/schemaLibrary/2006/main">
        <w:zoom w:percent="100"/>
        <w:proofState w:spelling="clean" w:grammar="clean"/>
        <w:stylePaneFormatFilter w:val="3F01"/>
        <w:defaultTabStop w:val="708"/>
        <w:noPunctuationKerning/>
        <w:characterSpacingControl w:val="doNotCompress"/>
        <w:compat/>
        <w:rsids>
          <w:rsidRoot w:val="00321C40"/>
          <w:rsid w:val="00086467"/>
          <w:rsid w:val="001B599B"/>
          <w:rsid w:val="001F50D8"/>
          <w:rsid w:val="00212C68"/>
          <w:rsid w:val="002E1648"/>
          <w:rsid w:val="00321C40"/>
          <w:rsid w:val="00462340"/>
          <w:rsid w:val="0049683A"/>
          <w:rsid w:val="004E28A4"/>
          <w:rsid w:val="00605BB2"/>
          <w:rsid w:val="0065441A"/>
          <w:rsid w:val="006C65A7"/>
          <w:rsid w:val="00761438"/>
          <w:rsid w:val="00806893"/>
          <w:rsid w:val="009F2602"/>
          <w:rsid w:val="00C83BEE"/>
          <w:rsid w:val="00D6376B"/>
          <w:rsid w:val="00DE1B82"/>
          <w:rsid w:val="00E26290"/>
```

```
          <w:rsid w:val="00E84C62"/>
        </w:rsids>
        <m:mathPr>
          <m:mathFont m:val="Cambria Math"/>
          <m:brkBin m:val="before"/>
          <m:brkBinSub m:val="--"/>
          <m:smallFrac m:val="off"/>
          <m:dispDef/>
          <m:lMargin m:val="0"/>
          <m:rMargin m:val="0"/>
          <m:defJc m:val="centerGroup"/>
          <m:wrapIndent m:val="1440"/>
          <m:intLim m:val="subSup"/>
          <m:naryLim m:val="undOvr"/>
        </m:mathPr>
        <w:themeFontLang w:val="ru-RU"/>
        <w:clrSchemeMapping w:bg1="light1" w:t1="dark1" w:bg2="light2" w:t2="dark2"
        w:accent1="accent1" w:accent2="accent2" w:accent3="accent3" w:accent4="accent4"
        w:accent5="accent5" w:accent6="accent6" w:hyperlink="hyperlink"
        w:followedHyperlink="followedHyperlink"/>
        <w:doNotIncludeSubdocsInStats/>
        <w:shapeDefaults>
          <o:shapedefaults v:ext="edit" spidmax="1031"/>
          <o:shapelayout v:ext="edit">
            <o:idmap v:ext="edit" data="1"/>
          </o:shapelayout>
        </w:shapeDefaults>
        <w:decimalSymbol w:val=","/>
        <w:listSeparator w:val=";"/>
      </w:settings>
    </pkg:xmlData>
  </pkg:part>
  <pkg:part pkg:name="/word/fontTable.xml" pkg:contentType="application/vnd.openxmlformats-
  officedocument.wordprocessingml.fontTable+xml">
    <pkg:xmlData>
      <w:fonts xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
      xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/main">
        <w:font w:name="Times New Roman">
          <w:panose1 w:val="02020603050405020304"/>
          <w:charset w:val="CC"/>
          <w:family w:val="roman"/>
          <w:pitch w:val="variable"/>
          <w:sig w:usb0="E0002EFF" w:usb1="C000785B" w:usb2="00000009" w:usb3="00000000"
          w:csb0="000001FF" w:csb1="00000000"/>
        </w:font>
        <w:font w:name="Arial">
          <w:panose1 w:val="020B0604020202020204"/>
          <w:charset w:val="CC"/>
          <w:family w:val="swiss"/>
          <w:pitch w:val="variable"/>
          <w:sig w:usb0="E0002EFF" w:usb1="C000785B" w:usb2="00000009" w:usb3="00000000"
          w:csb0="000001FF" w:csb1="00000000"/>
        </w:font>
        <w:font w:name="Cambria">
          <w:panose1 w:val="02040503050406030204"/>
          <w:charset w:val="CC"/>
          <w:family w:val="roman"/>
          <w:pitch w:val="variable"/>
          <w:sig w:usb0="E00006FF" w:usb1="420024FF" w:usb2="02000000" w:usb3="00000000"
          w:csb0="0000019F" w:csb1="00000000"/>
        </w:font>
        <w:font w:name="Calibri">
          <w:panose1 w:val="020F0502020204030204"/>
          <w:charset w:val="CC"/>
          <w:family w:val="swiss"/>
          <w:pitch w:val="variable"/>
          <w:sig w:usb0="E4002EFF" w:usb1="C000247B" w:usb2="00000009" w:usb3="00000000"
          w:csb0="000001FF" w:csb1="00000000"/>
        </w:font>
```

```
      </w:fonts>
    </pkg:xmlData>
  </pkg:part>
  <pkg:part pkg:name="/word/webSettings.xml" pkg:contentType="application/vnd.openxmlformats-
  officedocument.wordprocessingml.webSettings+xml">
    <pkg:xmlData>
      <w:webSettings xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
      xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/main">
        <w:optimizeForBrowser/>
      </w:webSettings>
    </pkg:xmlData>
  </pkg:part>
  <pkg:part pkg:name="/docProps/app.xml" pkg:contentType="application/vnd.openxmlformats-
  officedocument.extended-properties+xml" pkg:padding="256">
    <pkg:xmlData>
      <Properties xmlns="http://schemas.openxmlformats.org/officeDocument/2006/extended-
      properties" xmlns:vt="http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypes">
        <Template>Normal</Template>
        <TotalTime>6</TotalTime>
        <Pages>1</Pages>
        <Words>46</Words>
        <Characters>645</Characters>
        <Application>Microsoft Office Word</Application>
        <DocSecurity>0</DocSecurity>
        <Lines>5</Lines>
        <Paragraphs>1</Paragraphs>
        <ScaleCrop>false</ScaleCrop>
        <HeadingPairs>
          <vt:vector size="2" baseType="variant">
            <vt:variant>
              <vt:lpstr>Название</vt:lpstr>
            </vt:variant>
            <vt:variant>
              <vt:i4>1</vt:i4>
            </vt:variant>
          </vt:vector>
        </HeadingPairs>
        <TitlesOfParts>
          <vt:vector size="1" baseType="lpstr">
            <vt:lpstr> </vt:lpstr>
          </vt:vector>
        </TitlesOfParts>
        <Company/>
        <LinksUpToDate>false</LinksUpToDate>
        <CharactersWithSpaces>690</CharactersWithSpaces>
        <SharedDoc>false</SharedDoc>
        <HyperlinksChanged>false</HyperlinksChanged>
        <AppVersion>12.0000</AppVersion>
      </Properties>
    </pkg:xmlData>
  </pkg:part>
  <pkg:part pkg:name="/docProps/core.xml" pkg:contentType="application/vnd.openxmlformats-
  package.core-properties+xml" pkg:padding="256">
    <pkg:xmlData>
      <cp:coreProperties xmlns:cp="http://schemas.openxmlformats.org/package/2006/metadata/core-
      properties" xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:dcterms="http://purl.org/dc/terms/" xmlns:dcmitype="http://purl.org/dc/dcmitype/"
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <dc:creator>Игорь</dc:creator>
        <cp:lastModifiedBy>Игорь Потапов</cp:lastModifiedBy>
        <cp:revision>2</cp:revision>
        <cp:lastPrinted>2013-06-04T19:22:00Z</cp:lastPrinted>
        <dcterms:created xsi:type="dcterms:W3CDTF">2026-03-16T17:31:00Z</dcterms:created>
        <dcterms:modified xsi:type="dcterms:W3CDTF">2026-03-16T17:31:00Z</dcterms:modified>
      </cp:coreProperties>
    </pkg:xmlData>
  </pkg:part>
  <pkg:part pkg:name="/word/styles.xml" pkg:contentType="application/vnd.openxmlformats-
  officedocument.wordprocessingml.styles+xml">
```

```xml
<pkg:xmlData>
  <w:styles xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
  xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/main">
    <w:docDefaults>
      <w:rPrDefault>
        <w:rPr>
          <w:rFonts w:ascii="Times New Roman" w:eastAsia="Times New Roman" w:hAnsi="Times New
          Roman" w:cs="Times New Roman"/>
          <w:lang w:val="ru-RU" w:eastAsia="ru-RU" w:bidi="ar-SA"/>
        </w:rPr>
      </w:rPrDefault>
      <w:pPrDefault/>
    </w:docDefaults>
    <w:latentStyles w:defLockedState="0" w:defUIPriority="99" w:defSemiHidden="1"
    w:defUnhideWhenUsed="1" w:defQFormat="0" w:count="267">
      <w:lsdException w:name="Normal" w:semiHidden="0" w:uiPriority="0" w:unhideWhenUsed="0"
      w:qFormat="1"/>
      <w:lsdException w:name="heading 1" w:semiHidden="0" w:uiPriority="9"
      w:unhideWhenUsed="0" w:qFormat="1"/>
      <w:lsdException w:name="heading 2" w:uiPriority="9" w:qFormat="1"/>
      <w:lsdException w:name="heading 3" w:uiPriority="9" w:qFormat="1"/>
      <w:lsdException w:name="heading 4" w:uiPriority="9" w:qFormat="1"/>
      <w:lsdException w:name="heading 5" w:uiPriority="9" w:qFormat="1"/>
      <w:lsdException w:name="heading 6" w:uiPriority="9" w:qFormat="1"/>
      <w:lsdException w:name="heading 7" w:uiPriority="9" w:qFormat="1"/>
      <w:lsdException w:name="heading 8" w:uiPriority="9" w:qFormat="1"/>
      <w:lsdException w:name="heading 9" w:uiPriority="9" w:qFormat="1"/>
      <w:lsdException w:name="toc 1" w:uiPriority="39"/>
      <w:lsdException w:name="toc 2" w:uiPriority="39"/>
      <w:lsdException w:name="toc 3" w:uiPriority="39"/>
      <w:lsdException w:name="toc 4" w:uiPriority="39"/>
      <w:lsdException w:name="toc 5" w:uiPriority="39"/>
      <w:lsdException w:name="toc 6" w:uiPriority="39"/>
      <w:lsdException w:name="toc 7" w:uiPriority="39"/>
      <w:lsdException w:name="toc 8" w:uiPriority="39"/>
      <w:lsdException w:name="toc 9" w:uiPriority="39"/>
      <w:lsdException w:name="caption" w:uiPriority="35" w:qFormat="1"/>
      <w:lsdException w:name="Title" w:semiHidden="0" w:uiPriority="10" w:unhideWhenUsed="0"
      w:qFormat="1"/>
      <w:lsdException w:name="Default Paragraph Font" w:uiPriority="1"/>
      <w:lsdException w:name="Subtitle" w:semiHidden="0" w:uiPriority="11"
      w:unhideWhenUsed="0" w:qFormat="1"/>
      <w:lsdException w:name="Strong" w:semiHidden="0" w:uiPriority="22" w:unhideWhenUsed="0"
      w:qFormat="1"/>
      <w:lsdException w:name="Emphasis" w:semiHidden="0" w:uiPriority="20"
      w:unhideWhenUsed="0" w:qFormat="1"/>
      <w:lsdException w:name="Table Grid" w:semiHidden="0" w:uiPriority="59"
      w:unhideWhenUsed="0"/>
      <w:lsdException w:name="Placeholder Text" w:unhideWhenUsed="0"/>
      <w:lsdException w:name="No Spacing" w:semiHidden="0" w:uiPriority="1"
      w:unhideWhenUsed="0" w:qFormat="1"/>
      <w:lsdException w:name="Light Shading" w:semiHidden="0" w:uiPriority="60"
      w:unhideWhenUsed="0"/>
      <w:lsdException w:name="Light List" w:semiHidden="0" w:uiPriority="61"
      w:unhideWhenUsed="0"/>
      <w:lsdException w:name="Light Grid" w:semiHidden="0" w:uiPriority="62"
      w:unhideWhenUsed="0"/>
      <w:lsdException w:name="Medium Shading 1" w:semiHidden="0" w:uiPriority="63"
      w:unhideWhenUsed="0"/>
      <w:lsdException w:name="Medium Shading 2" w:semiHidden="0" w:uiPriority="64"
      w:unhideWhenUsed="0"/>
      <w:lsdException w:name="Medium List 1" w:semiHidden="0" w:uiPriority="65"
      w:unhideWhenUsed="0"/>
      <w:lsdException w:name="Medium List 2" w:semiHidden="0" w:uiPriority="66"
      w:unhideWhenUsed="0"/>
      <w:lsdException w:name="Medium Grid 1" w:semiHidden="0" w:uiPriority="67"
      w:unhideWhenUsed="0"/>
      <w:lsdException w:name="Medium Grid 2" w:semiHidden="0" w:uiPriority="68"
      w:unhideWhenUsed="0"/>
```

```
<w:lsdException w:name="Medium Grid 3" w:semiHidden="0" w:uiPriority="69"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Dark List" w:semiHidden="0" w:uiPriority="70"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful Shading" w:semiHidden="0" w:uiPriority="71"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful List" w:semiHidden="0" w:uiPriority="72"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful Grid" w:semiHidden="0" w:uiPriority="73"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light Shading Accent 1" w:semiHidden="0" w:uiPriority="60"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light List Accent 1" w:semiHidden="0" w:uiPriority="61"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light Grid Accent 1" w:semiHidden="0" w:uiPriority="62"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Shading 1 Accent 1" w:semiHidden="0" w:uiPriority="63"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Shading 2 Accent 1" w:semiHidden="0" w:uiPriority="64"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium List 1 Accent 1" w:semiHidden="0" w:uiPriority="65"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Revision" w:unhideWhenUsed="0"/>
<w:lsdException w:name="List Paragraph" w:semiHidden="0" w:uiPriority="34"
w:unhideWhenUsed="0" w:qFormat="1"/>
<w:lsdException w:name="Quote" w:semiHidden="0" w:uiPriority="29" w:unhideWhenUsed="0"
w:qFormat="1"/>
<w:lsdException w:name="Intense Quote" w:semiHidden="0" w:uiPriority="30"
w:unhideWhenUsed="0" w:qFormat="1"/>
<w:lsdException w:name="Medium List 2 Accent 1" w:semiHidden="0" w:uiPriority="66"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 1 Accent 1" w:semiHidden="0" w:uiPriority="67"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 2 Accent 1" w:semiHidden="0" w:uiPriority="68"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 3 Accent 1" w:semiHidden="0" w:uiPriority="69"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Dark List Accent 1" w:semiHidden="0" w:uiPriority="70"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful Shading Accent 1" w:semiHidden="0" w:uiPriority="71"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful List Accent 1" w:semiHidden="0" w:uiPriority="72"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful Grid Accent 1" w:semiHidden="0" w:uiPriority="73"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light Shading Accent 2" w:semiHidden="0" w:uiPriority="60"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light List Accent 2" w:semiHidden="0" w:uiPriority="61"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light Grid Accent 2" w:semiHidden="0" w:uiPriority="62"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Shading 1 Accent 2" w:semiHidden="0" w:uiPriority="63"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Shading 2 Accent 2" w:semiHidden="0" w:uiPriority="64"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium List 1 Accent 2" w:semiHidden="0" w:uiPriority="65"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium List 2 Accent 2" w:semiHidden="0" w:uiPriority="66"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 1 Accent 2" w:semiHidden="0" w:uiPriority="67"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 2 Accent 2" w:semiHidden="0" w:uiPriority="68"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 3 Accent 2" w:semiHidden="0" w:uiPriority="69"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Dark List Accent 2" w:semiHidden="0" w:uiPriority="70"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful Shading Accent 2" w:semiHidden="0" w:uiPriority="71"
w:unhideWhenUsed="0"/>
```

```
<w:lsdException w:name="Colorful List Accent 2" w:semiHidden="0" w:uiPriority="72"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful Grid Accent 2" w:semiHidden="0" w:uiPriority="73"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light Shading Accent 3" w:semiHidden="0" w:uiPriority="60"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light List Accent 3" w:semiHidden="0" w:uiPriority="61"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light Grid Accent 3" w:semiHidden="0" w:uiPriority="62"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Shading 1 Accent 3" w:semiHidden="0" w:uiPriority="63"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Shading 2 Accent 3" w:semiHidden="0" w:uiPriority="64"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium List 1 Accent 3" w:semiHidden="0" w:uiPriority="65"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium List 2 Accent 3" w:semiHidden="0" w:uiPriority="66"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 1 Accent 3" w:semiHidden="0" w:uiPriority="67"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 2 Accent 3" w:semiHidden="0" w:uiPriority="68"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 3 Accent 3" w:semiHidden="0" w:uiPriority="69"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Dark List Accent 3" w:semiHidden="0" w:uiPriority="70"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful Shading Accent 3" w:semiHidden="0" w:uiPriority="71"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful List Accent 3" w:semiHidden="0" w:uiPriority="72"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful Grid Accent 3" w:semiHidden="0" w:uiPriority="73"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light Shading Accent 4" w:semiHidden="0" w:uiPriority="60"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light List Accent 4" w:semiHidden="0" w:uiPriority="61"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light Grid Accent 4" w:semiHidden="0" w:uiPriority="62"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Shading 1 Accent 4" w:semiHidden="0" w:uiPriority="63"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Shading 2 Accent 4" w:semiHidden="0" w:uiPriority="64"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium List 1 Accent 4" w:semiHidden="0" w:uiPriority="65"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium List 2 Accent 4" w:semiHidden="0" w:uiPriority="66"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 1 Accent 4" w:semiHidden="0" w:uiPriority="67"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 2 Accent 4" w:semiHidden="0" w:uiPriority="68"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Grid 3 Accent 4" w:semiHidden="0" w:uiPriority="69"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Dark List Accent 4" w:semiHidden="0" w:uiPriority="70"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful Shading Accent 4" w:semiHidden="0" w:uiPriority="71"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful List Accent 4" w:semiHidden="0" w:uiPriority="72"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Colorful Grid Accent 4" w:semiHidden="0" w:uiPriority="73"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light Shading Accent 5" w:semiHidden="0" w:uiPriority="60"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light List Accent 5" w:semiHidden="0" w:uiPriority="61"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Light Grid Accent 5" w:semiHidden="0" w:uiPriority="62"
w:unhideWhenUsed="0"/>
<w:lsdException w:name="Medium Shading 1 Accent 5" w:semiHidden="0" w:uiPriority="63"
w:unhideWhenUsed="0"/>
```

```
    <w:lsdException w:name="Medium Shading 2 Accent 5" w:semiHidden="0" w:uiPriority="64"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium List 1 Accent 5" w:semiHidden="0" w:uiPriority="65"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium List 2 Accent 5" w:semiHidden="0" w:uiPriority="66"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium Grid 1 Accent 5" w:semiHidden="0" w:uiPriority="67"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium Grid 2 Accent 5" w:semiHidden="0" w:uiPriority="68"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium Grid 3 Accent 5" w:semiHidden="0" w:uiPriority="69"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Dark List Accent 5" w:semiHidden="0" w:uiPriority="70"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Colorful Shading Accent 5" w:semiHidden="0" w:uiPriority="71"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Colorful List Accent 5" w:semiHidden="0" w:uiPriority="72"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Colorful Grid Accent 5" w:semiHidden="0" w:uiPriority="73"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Light Shading Accent 6" w:semiHidden="0" w:uiPriority="60"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Light List Accent 6" w:semiHidden="0" w:uiPriority="61"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Light Grid Accent 6" w:semiHidden="0" w:uiPriority="62"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium Shading 1 Accent 6" w:semiHidden="0" w:uiPriority="63"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium Shading 2 Accent 6" w:semiHidden="0" w:uiPriority="64"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium List 1 Accent 6" w:semiHidden="0" w:uiPriority="65"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium List 2 Accent 6" w:semiHidden="0" w:uiPriority="66"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium Grid 1 Accent 6" w:semiHidden="0" w:uiPriority="67"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium Grid 2 Accent 6" w:semiHidden="0" w:uiPriority="68"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Medium Grid 3 Accent 6" w:semiHidden="0" w:uiPriority="69"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Dark List Accent 6" w:semiHidden="0" w:uiPriority="70"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Colorful Shading Accent 6" w:semiHidden="0" w:uiPriority="71"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Colorful List Accent 6" w:semiHidden="0" w:uiPriority="72"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Colorful Grid Accent 6" w:semiHidden="0" w:uiPriority="73"
    w:unhideWhenUsed="0"/>
    <w:lsdException w:name="Subtle Emphasis" w:semiHidden="0" w:uiPriority="19"
    w:unhideWhenUsed="0" w:qFormat="1"/>
    <w:lsdException w:name="Intense Emphasis" w:semiHidden="0" w:uiPriority="21"
    w:unhideWhenUsed="0" w:qFormat="1"/>
    <w:lsdException w:name="Subtle Reference" w:semiHidden="0" w:uiPriority="31"
    w:unhideWhenUsed="0" w:qFormat="1"/>
    <w:lsdException w:name="Intense Reference" w:semiHidden="0" w:uiPriority="32"
    w:unhideWhenUsed="0" w:qFormat="1"/>
    <w:lsdException w:name="Book Title" w:semiHidden="0" w:uiPriority="33"
    w:unhideWhenUsed="0" w:qFormat="1"/>
    <w:lsdException w:name="Bibliography" w:uiPriority="37"/>
    <w:lsdException w:name="TOC Heading" w:uiPriority="39" w:qFormat="1"/>
  </w:latentStyles>
  <w:style w:type="paragraph" w:default="1" w:styleId="a">
    <w:name w:val="Normal"/>
    <w:qFormat/>
    <w:rsid w:val="004E28A4"/>
    <w:rPr>
      <w:sz w:val="24"/>
      <w:szCs w:val="24"/>
    </w:rPr>
```

```
          </w:style>
          <w:style w:type="character" w:default="1" w:styleId="a0">
            <w:name w:val="Default Paragraph Font"/>
            <w:uiPriority w:val="1"/>
            <w:semiHidden/>
            <w:unhideWhenUsed/>
          </w:style>
          <w:style w:type="table" w:default="1" w:styleId="a1">
            <w:name w:val="Normal Table"/>
            <w:uiPriority w:val="99"/>
            <w:semiHidden/>
            <w:unhideWhenUsed/>
            <w:qFormat/>
            <w:tblPr>
              <w:tblInd w:w="0" w:type="dxa"/>
              <w:tblCellMar>
                <w:top w:w="0" w:type="dxa"/>
                <w:left w:w="108" w:type="dxa"/>
                <w:bottom w:w="0" w:type="dxa"/>
                <w:right w:w="108" w:type="dxa"/>
              </w:tblCellMar>
            </w:tblPr>
          </w:style>
          <w:style w:type="numbering" w:default="1" w:styleId="a2">
            <w:name w:val="No List"/>
            <w:uiPriority w:val="99"/>
            <w:semiHidden/>
            <w:unhideWhenUsed/>
          </w:style>
        </w:styles>
      </pkg:xmlData>
    </pkg:part>
  </pkg:package>
```